

Highlander II Vertical Platform Lift

Quote Order

Date: _____

Sales Representative: _____

Dealer Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____

Email: _____

Shipping Method: Pick-Up Common Carrier

Account Number: _____

Projected Close Date: _____

Purchase Order Number: _____

Ship To Address: _____

Contact: _____

Phone: _____

Opportunity Reference / Project Name: _____

APPLICATION

VPL-R: Residential

VPL-C: Commercial (includes: Lighted E-Stop/Alarm, Handrail, Upgrade to 36" x 54" standard platform)

INSTALLATION

Outdoor

Hoistway

Indoor

MODEL

VPL400: 4' Vertical Platform Lift (Max 53" lift height)

VPL600: 6' Vertical Platform Lift (Max 77" lift height)

VPL800: 8' Vertical Platform Lift (Max 101" lift height)

VPL1000: 10' Vertical Platform Lift (Max 125" lift height)

VPL1200: 12' Vertical Platform Lift (Max 149" lift height)

VPL1400: 14' Vertical Platform Lift (Max 171" lift height)

Exact Lifting Height _____ inches (mandatory)
(measured from top landing to floor)
Note: Measure from Inside Pit

VPL-021: 3-Stop Package: 3 Call/Send (must select VPL-C)

Middle Lifting Height _____ inches
(For 3-Stop Orders mandatory)

TOWER CONFIGURATION

VPL-LH: Left Hand

VPL-RH: Right Hand

BATTERY BACKUP OPTIONS

VPL-030: Base- 2 12V Batteries (does not apply to VPL800-1400)

VPL-033: Plus- 4 12V Batteries

VPL-030CWP: Base - Cold Weather Package

VPL-033CWP: Plus - Cold Weather Package


PLATFORM CONFIGURATION

VPL-3648: 36" x 48" x 36" Straight Through (Not applicable for commercial application; No grab rail available; Must have folding ramp)

VPL-3654: 36" x 54" x 42" Straight Through

VPL-3654-90L: 36" x 54" x 42" 90° Exit Left

VPL-3654-90R: 36" x 54" x 42" 90° Exit Right



Highlander II Vertical Platform Lift

- VPL-3654-SS:** 36" x 54" x 42" Same Side Entry/Exit *(Not applicable for VPL400-800)*
- VPL-3660:** 36" x 60" x 42" Straight Through
- VPL-3660-90L:** 36" x 60" x 42" 90° Exit Left
- VPL-3660-90R:** 36" x 60" x 42" 90° Exit Right
- VPL-3660-SS:** 36" x 60" x 42" Same Side Entry/Exit *(Not applicable for VPL400-800)*
- VPL-4254:** 42" x 54" x 42" Straight Through
- VPL-4254-90L:** 42" x 54" x 42" 90° Exit Left
- VPL-4254-90R:** 42" x 60" x 42" 90° Exit Right
- VPL-4254-SS:** 42" x 60" x 42" Same Side Entry/Exit *(Not applicable for VPL400-800)*
- VPL-4260:** 42" x 60" x 42" Straight Through
- VPL-4260-90L:** 42" x 60" x 42" 90° Exit Left
- VPL-4260-90R:** 42" x 60" x 42" 90° Exit Right
- VPL-4260-SS:** 42" x 60" x 42" Same Side Entry/Exit *(Not applicable for VPL400-800)*

PLATFORM OPTIONS

- | | |
|--|--|
| <input type="checkbox"/> VPL-065-36: 36" Auto Ramp <i>(Not applicable for VPL1400)</i> | <input type="checkbox"/> VPL-060-42F: 42" Fixed Ramp |
| <input type="checkbox"/> VPL-065-42: 42" Auto Ramp <i>(Not applicable for VPL1400)</i> | <input type="checkbox"/> VPL-013-54: 54" Handrail <i>(Not applicable for 36" x 48" x 36")</i> |
| <input type="checkbox"/> VPL-060-36F: 36" Fixed Ramp <i>(Not applicable for 36" x 48" platform)</i> | <input type="checkbox"/> VPL-013-60: 60" Handrail <i>(Not applicable for 36" x 48" x 36")</i> |

PLATFORM GATES

- | | |
|---|--|
| <input type="checkbox"/> VPL-004-36R: 36" x 42" Platform Gate Right with EMI Interlock
<i>(Not applicable for 36" tall side panels)</i> | <input type="checkbox"/> VPL-004-36L: 36" x 42" Platform Gate Left with EMI Interlock
<i>(Not applicable for 36" tall side panels)</i> |
| <input type="checkbox"/> VPL-004-42R: 42" x 42" Platform Gate Right with EMI Interlock
<i>(Not applicable for 36" tall side panels)</i> | <input type="checkbox"/> VPL-004-42L: 42" x 42" Platform Gate Left with EMI Interlock
<i>(Not applicable for 36" tall side panels)</i> |
| <input type="checkbox"/> VPL-078-G: Automatic Gate Opener | |

DOORS

- | | |
|---|---|
| <input type="checkbox"/> ___qty VPL-078-D: Automatic Door Opener | <input type="checkbox"/> ___qty VPL-008-WR: Wiring for Interlocks Provided by Others |
| <input type="checkbox"/> ___qty VPL-008-KDL: Keyed Dead Latch for use with Flush Mount Electric Strike <i>(each)</i> | <input type="checkbox"/> ___qty VPL-008L-EMI: EMI Interlock for Left Hand Door Provided by Others |
| <input type="checkbox"/> ___qty VPL-008R-EMI: EMI Interlock for Right Hand Door Provided by Others | <input type="checkbox"/> ___qty VPL-008W: Flush Mount Electric Strike for Wood Doors Strike Left Hand |
| <input type="checkbox"/> ___qty VPL-008M: Flush Mount Electric Strike for Metal Doors Provided by Others | <input type="checkbox"/> ___qty VPL-005-36R-ES: 36" Fire-Rated Hoistway Door with Electric Strike Right Hand |
| <input type="checkbox"/> ___qty VPL-005-36R: 36" Fire-Rated Hoistway Door with EMI Interlock Right Hand | <input type="checkbox"/> ___qty VPL-005-36L-ES: 36" Fire-Rated Hoistway Door with Electric Strike Left Hand |
| <input type="checkbox"/> ___qty VPL-005-36L: 36" Fire-Rated Hoistway Door with EMI Interlock Left Hand | <input type="checkbox"/> ___qty VPL-005-42R-ES: 42" Fire-Rated Hoistway Door with Electric Strike Right Hand |
| <input type="checkbox"/> ___qty VPL-005-42R: 42" Fire-Rated Hoistway Door with EMI Interlock Right Hand | <input type="checkbox"/> ___qty VPL-005-42L-ES: 42" Fire-Rated Hoistway Door with Electric Strike Left Hand |
| <input type="checkbox"/> ___qty VPL-005-42L: 42" Fire-Rated Hoistway Door with EMI Interlock Left Hand | |

Highlander II Vertical Platform Lift

LANDING GATES

- VPL-003-36L:** 36" x 42" Landing Gates Left with EMI Interlock
- VPL-003-36R:** 36" x 42" Landing Gates Right with EMI Interlock
- VPL-003-42L:** 42" x 42" Landing Gates Left with EMI Interlock
- VPL-003-42R:** 42" x 42" Landing Gates Right with EMI Interlock
- VPL-003-CS:** Landing Gate Call/Send Upgrade
- VPL-003-CSK:** Landing Gate Call/Send Upgrade with Key
- VPL-078-LG:** Automatic Gate Opener

CONTROLS / SWITCHES

- VPL-011:** Lighted E-Stop w/ Alarm *(Required for Commercial)*
- VPL-015K:** Key for Cab Control
- ___ qty **VPL-016:** Call/Send Control *(each)*
- ___ qty **VPL-016K:** Keyed Call/Send Control *(each)*
- VPL-KEY:** Spare Keys *(2 qty)*
- VPL-075:** Phone Jack
- VPL-076:** Emergency Backup Light
- VPL-017-1:** Wireless Call/Send Control - 1 Landing *(each)*
- VPL-017-2:** Wireless Call/Send Control - 2 Landings *(each)*
- VPL-017-3:** Wireless Call/Send Controls - 3 Landings *(each)*
- VPL-022:** Pit Switch
- VPL-026:** Float Level Switch
- ___ qty **VPL-CK:** Chicago Key Switch

FASCIA PANELS AND BRACES

- VPL-341-24:** 24" tall fascia for 36" gates
- VPL-341-53:** 53" tall fascia for 36" gates
- VPL-347-24:** 24" tall fascia for 42" gates
- VPL-347-53:** 53" tall fascia for 42" gates
- VPL-341-CC:** Custom cut fascia for 36" gates _____ *length to cut in inches*
- VPL-347-CC:** Custom cut fascia for 42" gates _____ *length to cut in inches*
- VPL-062:** Tower Brace

SHIPPING OPTIONS

- Truck Lift Gate Required
- VPL400-SS:** 4' Shipping - Upright *(VPL400 only)*
- VPL400-LD:** 4' Shipping - Laid Down *(VPL400 only)*
- VPL400-URC:** 4' Crated Shipping - Upright *(VPL400 only)*
- VPL400-LDC:** 4' Crated Shipping - Laid Down *(VPL400 only)*
- VPL-SS:** 6' - 14' Standard Shipping - Laid Down *(VPL600 - 1400 only)*
- VPL-IC:** 4' - 10' International Crated Shipment *(VPL400 - 1000 only)*
- VPL-IC Tall:** 12' - 14' International Crated Shipment *(VPL1200 - 1400 only)*

Highlander II Vertical Platform Lift

 DRAWING FOR APPROVAL

An application-specific drawing is requested and **production will be scheduled after return of signed approval drawing.**

Upcharge if lift is not ordered within 90-days of drawing submission.

 DRAWING FOR PRESENTATION

An application-specific drawing is requested and **order will be scheduled immediately for production.**

Note - VPL units are shipped laying down. A lift gate is unable to be used on models 6' and taller. VPL units will require a loading dock or arrangements can be made to pick-up at the terminal.

ADDITIONAL INFORMATION

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Prior to signing for the shipment, inspect the package carefully.

VISIBLE DAMAGE: You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill.

CONCEALED DAMAGE: If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit. We have personnel available to assist with this process Monday - Friday, 7:30 am - 5:00 pm EST by calling **800-833-0478**.

On all VPL orders, Harmor will only warranty and support the Honeywell EMI part no. CDILBS1W or CDIRBS1W.

Thank you for your business!



I have read and understand the above:

Date: _____

Print Name: _____

Signature _____

Harmor Vertical Platform Lifts are designed to meet ASME A18.1 Performance Safety Standards when properly equipped. While Harmar Vertical Platform Lifts meet national standards, it is imperative to check State and Local code requirements before installing to ensure compliance. All State and Local compliance is the responsibility of the purchaser. Some states may require fees for site preparation and permits. Harmar Vertical Platform Lifts should only be installed by a certified, professional Harmar installer. If the Vertical Platform Lift is installed by any other means, the purchaser and installer assume responsibility for issues that may arise involving improper installation.